This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Previously Presented): A compound of formula I

(R)-1-(4-chlorophenyl)-3-[2-(1'-methyl-4,4'-bipiperidinyl-1-yl)-2-oxo-1-phenylethyl]urea,

in which

D denotes a mono- or bicyclic aromatic carbo- or heterocycle having 0 to 4 N, O and/or S atoms which is unsubstituted or mono- or polysubstituted by Hal, A, OR², N(R²)₂, NO₂, CN, COOR², CON(R²)₂ or -C≡CH,

X denotes NR³ or O,

Y denotes O. S. NH, N-CN or N-NO₂

R1 denotes H, Ar, Het, or cycloalkyl,

 R^1 may also be A which is optionally mono-, di- or trisubstituted by OR^2 , SR^2 , $S(O)_mR^2$, $SO_2N(R^2)_2$, SO_3R^2 , $S(=O)(=NR^2)R^2$, $NR^2SO_2R^2$, OSO_2R^2 , $OSO_2N(R^2)_2$, $N(R^2)_2$, CN, $COOR^2$, $CON(R^2)_2$, Ar, Het or cycloalkyl,

E denotes CH.

Z is ethylene,

Z is ethylene,

Q is absent or denotes O, NR², C=O, SO₂ or C(R²)_n,

 R^2 denotes H, A, -[C(R³)₂]_n-Ar', -[C(R³)₂]_n-Het', -[C(R³)₂]_n-cycloalkyl, -[C(R³)₂]_n-N(R³)₂ or -[C(R³)₂]_n-OR³.

R³ denotes H or A.

ĭ

- R^4 , R^4 each, independently of one another, is absent or denote A, OH or OA, or R^4 and R^4 together denote methylene or ethylene,
- T denotes a mono- or bicyclic saturated, unsaturated or aromatic carbo- or heterocycle having 0 to 4 N, O and/or S atoms, which may be mono-, di- or trisubstituted by =O, =S, =NH, =NR³, =NOOR³, =NCOOR³, =NOCOR³, N, Hal, A, -[C(R³)₂]_n-Ar, -[C(R³)₂]_n-Het, -[C(R³)₂]_n-cycloalkyl, OR³, N(R³)₂, NO₂, CN, COOR³, CON(R³)₂, NR³COA, NR³CON(R³)₃, NR³SO₂A, COR³, SO₃NR² and/or S(O)₈A.
- A denotes unbranched or branched alkyl having 1-10 C atoms, in which one or two CH₂ groups may be replaced by O or S atoms and/or by -CH=CH- groups and/or also 1-7 H atoms may be replaced by F,
- Ar denotes phenyl, naphthyl or biphenyl, each of which is unsubstituted or mono-, di- or trisubstituted by Hal, A, OR², N(R²)₂, NO₂, CN, COOR², CON(R²)₂, NR²COA, NR²SO₂A, COR², SO₂N(R²)₂, -[C(R³)₂]_n-COOR², -O-[C(R³)₂]_o-COOR², SO₃H or S(O)_nA.
- Ar' denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, A, OR³, N(R³)₂, NO₂, CN, COOR³, CON(R³)₂, NR³COA, NR³CON(R³)₂, NR³SO₂A, COR³, SO₂N(R³)₂, S(O)_nA, -[C(R³)₂]_n-COOR³ or -O-[C(R³)₂]_o-COOR³,
- Het denotes a mono- or bicyclic saturated, unsaturated or aromatic heterocycle having 1 to $4\ N,\ O\ and/or\ S\ atoms,\ which\ may\ be\ unsubstituted\ or\ mono-,\ di-\ or\ trisubstituted\ by\ carbonyl\ oxygen\ (=O), =S, =N(R^2)_2,\ Hal,\ \Lambda, -[C(R^3)_2]_n-\Lambda r, -[C(R^3)_2]_n-He', \\ -[C(R^3)_2]_n-cycloalkyl, -[C(R^3)_2]_n-OR^2, -[C(R^3)_2]_n-N(R^3)_2,\ NO_2,\ CN, -[C(R^3)_2]_n-COOR^2, -[C(R^3)_2]_n-COOR^2, -[C(R^3)_2]_n-NR^2COA,\ NR^2CON(R^2)_2, -[C(R^3)_2]_n-NR^2COA,\ NR^2COA,\ COR^2,\ SO_2N(R^2)_2\ and/or\ S(O)_n/\Lambda,$
- Het' denotes a mono- or bicyclic saturated, unsaturated or aromatic heterocycle having 1 to 4 N, O and/or S atoms, which may be unsubstituted or mono- or disubstituted by carbonyl oxygen, =S, =N(R³)₂, Hal, A, OR³, N(R³)₂, NO₂, CN, COOR³, CON(R³)₂, NR³COA, NR³CON(R³)₂, NR³SO₂A, COR³, SO₂N(R³)₂ and/or S(O)_nA,
- Hal denotes F. Cl. Br or L.
- m denotes 1 or 2,
- n denotes 0, 1 or 2.
- o denotes 1, 2 or 3, and

denotes 1, 2, 3, 4 or 5,

p

or a pharmaceutically usable salt thereof, or a stereoisomer thereof, including mixtures thereof in all ratios.

- (Previously Presented): A compound according to Claim 1, in which D
 denotes phenyl which is unsubstituted or mono- or disubstituted by Hal, A, OR² or COOR², or
 pyridyl which is unsubstituted or monosubstituted by Hal.
- (Previously Presented): A compound according to Claim 1, in which D
 denotes phenyl which is monosubstituted by Hal.
- (Previously Presented): A compound according to Claim 1, in which R² denotes H or A.
- (Previously Presented): A compound according to Claim 1, in which T denotes

a mono- or bicyclic saturated, unsaturated or aromatic heterocycle having 1 to 2 N, O and/or S atoms, which may be unsubstituted or mono- or disubstituted by Λ or carbonyl oxygen (=O), or

phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, OR² or NR²COA, or a monocyclic unsubstituted, saturated carbocycle.

- (Previously Presented): A compound according to Claim 1, in which Q is absent or denotes O or CH₂.
- (Previously Presented): A compound according to Claim 1, in which Ar denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, A, OR², NR²COA, SO₂A, SO₂M₂, COOR² or CN.

- (Previously Presented): A compound according to Claim 1, according to
 Claim 1 in which Ar denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by
 Hal. A. OR³ or NR²COA.
- (Previously Presented): A compound according to Claim 1, in which R¹ denotes Ar. Het, cycloalkyl or A, which may be monosubstituted by OR².
- 10. (Previously Presented): A compound according to Claim 1, in which R¹ denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, OH or OA, a monocyclic aromatic heterocycle having 1 to 2 N, O and/or S atoms, or A, which may be monosubstituted by OR³.
- (Previously Presented): A compound according to Claim 1, in which Het denotes a mono- or bicyclic saturated, unsaturated or aromatic heterocycle having 1 to 2 N, O and/or S atoms, which may be unsubstituted or mono- or disubstituted by A or carbonyl oxygen (=O).
- 12. (Previously Presented): A compound according to Claim 1, in which Y denotes O
- (Previously Presented): A compound according to Claim 1, in which X denotes NR³ or O, and R³ denotes H.
 - 14. (Cancelled):
- (Previously Presented): A compound according to Claim 1, in which T denotes

a monocyclic saturated or aromatic heterocycle having 1 to 2 N and/or O atoms, which may be unsubstituted or mono- or disubstituted by A or carbonyl oxygen (=O),

phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, OH, OA or NHCOA, or a monocyclic unsubstituted, saturated carbocycle.

- (Previously Presented): A compound according to Claim 1, in which A denotes unbranched or branched alkyl having 1-10 C atoms, in which 1-7 H atoms may be replaced by F.
 - 17. (Previously Presented): A compound according to Claim 1, in which
 - D denotes phenyl which is unsubstituted or mono- or disubstituted by Hal, A, OR² or COOR², or pyridyl which is unsubstituted or monosubstituted by Hal,
 - X denotes NR³ or O,
 - Y denotes O,
 - R¹ denotes Ar, Het, cycloalkyl or Λ, which may be monosubstituted by OR²,
 - E denotes CH,
 - Z, Z' each denote ethylene,
 - Q is absent or denotes O or CH2,
 - R² denotes H or A.
 - R³ denotes H or A.
 - R⁴, R⁴ each, independently of one another, is absent or denote A, OH or OA, or R⁴ and R⁴ together denote methylene or ethylene.
 - T denotes a monocyclic saturated or aromatic heterocycle having 1 to 2 N and/or O atoms, which may be unsubstituted or mono- or disubstituted by A or carbonyl oxygen (=O), phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, OH, OA or NHCOA, or a monocyclic unsubstituted, saturated carbocycle,
 - A denotes unbranched or branched alkyl having 1-10 C atoms, in which 1-7 H atoms may be replaced by F,
 - Ar denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, A. OR², NR²COA, SO₂A, SO₂NH₂, COOR² or CN.
 - Het denotes a mono- or bicyclic saturated, unsaturated or aromatic heterocycle having 1 to 2 N, O and/or S atoms, which may be unsubstituted or mono- or disubstituted by A or carbonyl oxygen (=O),
 - Hal denotes F, Cl, Br or I, and

- p denotes 1, 2, 3, 4 or 5.
- 18. (Previously Presented): A compound according to Claim 1, in which
- D denotes phenyl which is monosubstituted by Hal,
- X denotes NR^{3'} or O.
- Y denotes O,
- R¹ denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, OH or OA, a monocyclic aromatic heterocycle having 1 to 2 N, O and/or S atoms, or A, which may be monosubstituted by OR³,
- R3' denotes H.
- E denotes CH,
- Z, Z' each denote ethylene,
- Q is absent or denotes O or CH2,
- R² denotes H or A.
- R³ denotes H or A.
- R⁴, R⁴ each, independently of one another, is absent or denote A, OH or OA, or R⁴ and R⁴ together denote methylene or ethylene,
- T denotes a monocyclic saturated or aromatic heterocycle having 1 to 2 N and/or O atoms, which may be unsubstituted or mono- or disubstituted by A or carbonyl oxygen (=O), phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, OH, OA
 - or a monocyclic unsubstituted, saturated carbocycle.
- A denotes unbranched or branched alkyl having 1-10 C atoms, in which 1-7 H atoms may be replaced by F, and
- Hal denotes F. Cl. Br or L

or NHCOA.

- 19. (Previously Presented): A compound according to Claim 1, in which
- D denotes phenyl which is monosubstituted by Hal,
- X denotes NR^{3'} or O.
- Y denotes O,

 \mathbf{R}^{I} denotes thienyl, furyl, phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, OH or OA,

or

A, which may be monosubstituted by OR3.

 R^3 denotes H or A.

 $\mathbb{R}^{3'}$ denotes H.

Е denotes CH.

Z. Z' each denote ethylene,

is absent or denotes O or CH2, 0

 \mathbb{R}^2 denotes H or A.

 R^3 denotes H or A.

R4, R4 each, independently of one another, is absent or denote A, OH or OA, or R4 and R4 together denote methylene or ethylene.

Т denotes piperidinyl, piperazinyl, pyridinyl, 2-oxopiperidin-1-yl, 2-oxopiperidin-4-yl, 2-oxopyrrolidin-1-yl, pyrrolidin-1-yl, 2-oxo-1H-pyridin-1-vl, 3-oxomorpholin-4-vl, morpholin-4-vl, 4-oxo-1H-pyridin-1-vl, 2.6dioxopiperidin1-yl, 2-oxo-piperazin-1-yl, 2,6-dioxopiperazin1-yl, 2,5dioxopyrrolidin-1-yl, 2-oxo-1,3-oxazolidin-3-yl, pyridazinyl, 3-oxo-2H-pyridazin-2-yl, 2-caprolactam-1-yl (= 2-oxoazepan-1-yl), 6-oxopiperazin-1-yl, 2-azabicyclo[2.2.2]octan-3-on-2-yl, 5,6-dihydro-1H-pyrimidin-2-oxo-1-yl, 2-oxo-1,3-oxazinan-3-vl or 4H-1,4-oxazin-4-vl, where the radicals may additionally be monosubstituted by A, phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, OH, OA

or NHCOA.

or a monocyclic unsubstituted, saturated carbocycle,

- Α denotes unbranched or branched alkyl having 1-10 C atoms, in which 1-7 H atoms may be replaced by F, and
- Hal denotes F. Cl. Br or L
- 20. (Previously Presented): A compound according to Claim 1, in which
- D denotes phenyl which is monosubstituted by Hal.

- X denotes NR³ or O,
- Y denotes O,
- \mbox{R}^1 denotes thienyl, furyl, phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, OH or OA,

or

A, which may be monosubstituted by OR3,

- R³ denotes H or A,
- R3' denotes H,
- E denotes CH,
- Z denotes ethylene,
- Z denotes ethylene,
- Q is absent or denotes O or CH₂,
- R² denotes H or A,
- R³ denotes H or A,
- R4, R4 is absent, or R4 and R4 together denote methylene or ethylene,
- T denotes piperidin-1- or 4-yl, piperazinyl, morpholin-4-yl, each of which is unsubstituted or monosubstituted by A and/or carbonyl oxygen (=O),
 - or unsubstituted cyclohexyl,
- A denotes unbranched or branched alkyl having 1-10 C atoms, in which 1-7 H atoms may be replaced by F, and
- Hal denotes F, Cl, Br or I.
- (Previously Presented): A compound according to Claim 1, wherein said compound is selected from:
- $\label{eq:continuous} (R)\text{-}1\text{-}(4\text{-}chlorophenyl)\text{-}3\text{-}[2\text{-}(1'\text{-}methyl\text{-}4,4'\text{-}bipiperidinyl\text{-}1\text{-}yl)\text{-}}2\text{-}oxo\text{-}1\text{-}phenylethyl]\text{-}urea,}$
- $(R)\hbox{-}1-(4-chlorophenyl)\hbox{-}3-\{2-[4-(4-fluorophenoxy)piperidin-1-yl]\hbox{-}2-oxo-1-phenylethyl}\ urea\ ,$

- (R)-1-(4-chlorophenyl)-3-{2-(4-(4-ethylpiperazin-1-yl)piperidin-1-yl]-2-oxo-1-phenylethyl}urea bistrifluoroacetate,
- $(R,R)-1-(4-chlorophenyl)-3-\{2-methoxy-1-[1-(1'-methyl-4,4'-bipiperidinyl-1-yl)-methanoyl] propyl\} urea trifluoroacetate,$
- $(R)-1-(4-chlorophenyl)-3-\{2-[4-hydroxy-4-(4-methoxyphenyl)piperidin-1-yl]-2-oxol-phenylethyl\}urea,$
- $(R) \cdot N \cdot [4 \cdot (1 \cdot \{2 \cdot \{3 \cdot (4 \cdot chlorophenyl) ure ido}] \cdot 2 \cdot phenylethanoyl\} piperidin-4 \cdot ylmethyl) phenyleacetamide,$
- $(R) 1 (4 chlorophenyl) 3 \{2 oxo 1 phenyl 2 [4 (1 phenyl methanoyl)piperidin 1 yl] ethyl lurea,$
 - (R,S)-1-[2-(3-benzylpiperidin-1-yl)-2-oxo-1-phenylethyl]-3-(4-chlorophenyl)urea,
- (R,R)-1-(4-chlorophenyl)-3-(1-{1-[4-(4-ethylpiperazin-1-yl)piperidin-1-yl]methanoyl}-2-methoxypropyl)urea bistrifluoroacetate.
- (R)-1-(2-4,4'-bipiperidinyl-1-yl-2-oxo-1-phenylethyl)-3-(4-chlorophenyl)urea hydrochloride,
- $\label{eq:controller} (R)\text{-}1\text{-}[2\text{-}4\text{-}4\text{'}-bipiperidinyl-}1\text{-}yl\text{-}1\text{-}(4\text{-}hydroxyphenyl)-}2\text{-}oxoethyl]\text{-}3\text{-}(4\text{-}chlorophenyl)-urea hydrochloride,}$
- $\label{eq:condition} (R)\text{-}1\text{-}(2\text{-}4,4'\text{-}bipiperidinyl-}1\text{-}yl\text{-}2\text{-}oxo\text{-}1\text{-}thiophen-}2\text{-}ylethyl)\text{-}3\text{-}(4\text{-}chlorophenyl)urea hydrochloride,}$
- (R)-1-(4-chlorophenyl)-3-[1-(4-hydroxyphenyl)-2-(1'-methyl-4,4'-bipiperidinyl-1-yl)-2-oxoethyl]urea trifluoroacetate,
- (R)-1-(4-chlorophenyl)-3-[2-(1'-methyl-4,4'-bipiperidinyl-1-yl)-2-oxo-1-thiophen-2-ylethyl]urea trifluoroacetate,
- $\label{eq:continuous} (R)-1-(4-chlorophenyl)-3-[1-(4-hydroxyphenyl)-2-(4-morpholin-4-ylpiperidin-1-yl)-2-oxoethyl]urea trifluoroacetate,$
- (R)-1-(4-chlorophenyl)-3-[2-(4-morpholin-4-ylpiperidin-1-yl)-2-oxo-1-phenylethyl]-urea trifluoroacetate,
- (R)-1-(2-[1,4']bipiperidinyl-1'-yl-2-oxo-1-phenylethyl)-3-(4-chlorophenyl)urea trifluoroacetate.

- (R)-1-(4-chlorophenyl)-3-{1-(4-hydroxyphenyl)-2-[4-(4-methylpiperazin-1-yl)-piperidin-1-yl]-2-oxoethyl}urea bistrifluoroacetate,
- $(R)-1-(4-chlorophenyl)-3-\{2-[4-(4-methylpiperazin-1-yl)piperidin-1-yl]-2-oxo-1-phenylethyl\}urea bistrifluoroacetate,$
- $\label{eq:continuous} (R)-1-(4-chlorophenyl)-3-[2-(4-morpholin-4-ylpiperidin-1-yl)-2-oxo-1-thiophen-2-ylethyl]urea trifluoroacetate,$
- (R)-1-(2-[1,4']bipiperidinyl-1'-yl-2-oxo-1-thiophen-2-ylethyl)-3-(4-chlorophenyl)urea trifluoroacetate.
- (R)-1-(4-chlorophenyl)-3-{2-[4-(4-methylpiperazin-1-yl)piperidin-1-yl]-2-oxo-1-thiophen-2-ylethyl}urea bistrifluoroacetate,
- $\label{eq:condition} (R)\text{-}1\text{-}(4\text{-}chlorophenyl)\text{-}3\text{-}[2\text{-}(1'\text{-}methyl\text{-}4,4'\text{-}bipiperidinyl\text{-}1\text{-}yl)\text{-}2\text{-}oxo\text{-}1\text{-}(2\text{-}chlorophenyl)\text{-}ethyl]urea,}$
- $\label{eq:continuous} (R)-1-(4-chlorophenyl)-3-[2-(4,4'-bipiperidinyl-1-yl)-2-oxo-1-(2-chlorophenyl)ethyll-urea.$
- $\label{eq:condition} (R)-1-(4-chlorophenyl)-3-[1-(2-chlorophenyl)-2-(1'-methyl-2'-oxo-4,4'-bipiperidinyl-1-yl)-2-oxoethyllurea,$
- $\label{eq:condition} (R)-1-(4-chlorophenyl)-3-[1-phenyl-2-(1'-methyl-2'-oxo-4,4'-bipiperidinyl-1-yl)-2-oxoethyl]urea,$
- 2-(1-methyl-4,4'-bipiperidinyl-1-yl)-2-oxo-1-phenylethyl (R)-4-chlorophenyl)-carbamate,
- $2\text{-}4,4'\text{-}bipiperidinyl-1-yl-1-(2-chlorophenyl)-2-oxoethyl (R)-(4-chlorophenyl)-carbamate hydrochloride,} \\$
- $2\text{-}4,4'\text{-}bipiperidinyl-1-yl-2-oxo-1-phenylethyl (R)-(4\text{-}chlorophenyl)} carbamate hydrochloride,$
- $1-(2-chlorophenyl)-2-(1'-methyl-4,4'-bipiperidinyl-1-yl)-2-oxoethyl\ (R)-(4-chlorophenyl) carbamate trifluoroacetate,$
- 1-(2-chlorophenyl)-2-(4-morpholin-4-ylpiperidin-1-yl)-2-oxoethyl (R)-(4-chlorophenyl)carbamate trifluoroacetate,
- 2-[1,4']bipiperidinyl-1'-yl-1-(2-chlorophenyl)-2-oxoethyl (R)-(4-chlorophenyl)-carbamate trifluoroacetate.

2-(4-morpholin-4-ylpiperidin-1-yl)-2-oxo-1-phenylethyl (R)-(4-chlorophenyl)-carbamate trifluoroacetate.

2-[1,4']bipiperidinyl-1'-yl-2-oxo-1-phenylethyl (R)-(4-chlorophenyl)carbamate trifluoroacetate.

1-(2-chlorophenyl)-2-[4-(4-methylpiperazin-1-yl)piperidin-1-yl]-2-oxoethyl (R)-(4-chlorophenyl)carbamate bistrifluoroacetate,

2-[4-(4-methylpiperazin-1-yl)piperidin-1-yl]-2-oxo-1-phenylethyl (R)-(4-chlorophenyl)carbamate bistrifluoroacetate,

1-(2,3-difluorophenyl)-2-(1'-methyl-4,4'-bipiperidinyl-1-yl)-2-oxoethyl (R)-(4-chlorophenyl)carbamate.

1-(2-methoxyphenyl)-2-(1'-methyl-4,4'-bipiperidinyl-1-yl)-2-oxoethyl (R)-(4-chlorophenyl)carbamate,

and pharmaceutically usable derivatives, solvates, salts and stereoisomers thereof, including mixtures thereof in all ratios.

- (Previously Presented): A process for the preparation of a compound according to Claim 1, said process comprising
 - a) for the preparation of compounds
 - X denotes NH and
 - Y denotes O,

reacting a compound of formula II

$$H_2N$$
 N
 Z
 E
 Q
 T
 Z
 R^4

with a compound of formula III

or

b) for the preparation of compounds

in which

X and Y denote O,

reacting a compound of formula IV

$$H-N$$
 Z
 $E-Q-T$
 IV

with a compound of formula V

in which

X and Y denote O, and

L denotes Cl, Br, I or a free or reactively functionally modified OH group,

and/or a base or acid of formula I is converted into one of its salts.

(Previously Presented): A method of inhibiting coagulation factor Xa in a
patient, comprising administering to said patient an effective amount of a compound of claim

- (Previously Presented): A method of inhibiting coagulation factor VIIa in a
 patient, comprising administering to said patient an effective amount of a compound of claim
- (Previously Presented): A pharmaceutical composition comprising a compound according to Claim 1, and one or more excipients and/or adjuvants.
- (Previously Presented): A pharmaceutical composition comprising a compound according to Claim 1, and at least one further medicament active ingredient.

27. (Cancelled):

28. (Previously Presented): A kit comprising a first and second separate packs, said first pack containing an effective amount of a compound according to Claim 1, and said second pack containing an effective amount of a further medicament active ingredient.

29. (Cancelled):

- (Previously Presented): A compound according to claim 1, wherein Q is absent.
- (Previously Presented): A compound according to claim 30, wherein X is NR³ and Y is O.
- (Previously Presented): A compound according to claim 30, wherein T is piperidin-1- or 4-yl, which is unsubstituted or monosubstituted by A and/or carbonyl oxygen (=O).
- (Previously Presented): A compound according to claim 31, wherein T is piperidin-1- or 4-yl, which is unsubstituted or monosubstituted by A and/or carbonyl oxygen

(=O).

- (Previously Presented): A compound according to claim 30, wherein R¹ is phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal. OH, or OA.
- (Previously Presented): A compound according to claim 33, wherein R¹ is phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal. OH, or OA.
- (Previously Presented): A compound according to claim 30, wherein D is phenyl which is unsubstituted or mono- or disubstituted by Hal, A, hydroxyl, methoxy, ethoxy, hydroxycarbonyl, methoxycarbonyl or ethoxycarbonyl.
- (Previously Presented): A compound according to claim 35, wherein D is phenyl which is unsubstituted or mono- or disubstituted by Hal, A, hydroxyl, methoxy, ethoxy, hydroxycarbonyl, methoxycarbonyl or ethoxycarbonyl.
- (Previously Presented): A method of treating a patient suffering from thrombosis comprising administering to said patient an effective amount of a compound according to claim 1.
 - 39. (Cancelled):
- (New): A compound according to claim 2, wherein T is piperidin-1- or 4-yl, which is unsubstituted or monosubstituted by A and/or carbonyl oxygen (=O).
- (New): A compound according to claim 40, wherein T is piperidinyl,
 2-oxopiperidin-1-yl, or 2-oxopiperidin-4-yl, which in each case is optionally monosubstituted by A.